



## Total Design for Best Performance

OKSYS s.r.l. Via Dell'Albereto 33/B 50041 Calenzano (FI) Italy  
Tel.:+39 055 8990665 - Fax +39 055 8990665  
<http://www.oksys.com> - [info@oksys.com](mailto:info@oksys.com)



# FAST200YF / FAST222YF

FKF200YF / FAST222YF-- Fully Automatic Service station for R1234 YF A/C systems

- Advanced features user-friendly control board with large **Icon Graphic Display**,
- Automatic working cycle, no manual taps. with **High Precision Oil and Dye Injection**.
- **Controlled Refrigerant Chargin Precision and up 95% Recovery**
- Inclusive of internal flushing system to be used on **hybrid** or **electric** vehicles
- Ready to carry out a leak test under pressure with the use of **nitrogen** or **nitrogen/hydrogen blends**.
- Ready for internal Refrigerant Identifier as per SAE J 2843
- Ready for **A/C System Diagnosys**





# Total Design for Best Performance



OKSYS s.r.l. Via Dell'Albereto 33/B 50041 Calenzano (FI) Italy  
 Tel.:+39 055 8990665 - Fax +39 055 8990665  
<http://www.oksys.com> - [info@oksys.com](mailto:info@oksys.com)

FEATURES	
Refrigerant	R1234YF
Working Cycle	Fully Automatic / Manual
Compressor	10 cc
Vacuum Pump	100 l/min
Ultimate Vacuum	0,2 Mbar / 20 Pa
Tank Capacity	12 Kg
Scale Accuracy	± 5 g
Heather Belt	Yes
Air Purge	Automatic
Automatic Oil Injection	Yes
Aut. Dye Inject. (O-PK00092)	Fast200 optional; Fast202 included
Display	240x64 px Grafic LCD
Printer	Fast200 optional; Fast202 included
Database	Yes
PC Data Transfer	Yes
Hybrid Kit (OAC0003)	Yes
Nitrogen Leak Check (CFU-13.528/1)	Optional
Flushing Kit (ACC-SGlasREHD+ACC-13.511)	Optional
Diagnostic Kit (DIA-KIT)	Optional
Refrigerant Identifier code (GAS-ID)	Optional
Blanket .(O-0000617)	Optional
Power Supply	220 V 50 Hz
Dimensions	58x55x110 cm
Net/Gross Weight	60/70 Kg



## OPZIONI:



DIA KIT



CFU-13.528/X.L1



ACC-Sglas-RE-HD



ACC-13.511



O-0000617



GAS ID

## STANDARD OUTFIT

CODE	DESCRIPTION	CODE	DESCRIPTION
PLS-00005.L1H		CBL0001	Power cord
1000014 ex F-ACS08.018	Calibration hook	--	Connectors
-	Set 2 hoses 3m		



CODE

DESCRIPTION